
1-0358-EN

SKF Lubrication

List of Retrofit Lubrication Kits for Excavators



Before using a Universal Kit for Mono Excavators, check to see if a specially designed Retrofit Kit is available.

Specially designed Retrofit Kits have the advantage of being optimally adjusted to the needs of the vehicle and therefore are the preferred solution.

The following list represents the most common Retrofit Vehicle Lubrication Systems for Excavators of all classes.

NOTE: This list is not exhaustive. It represents only the most common Machines for which Vogel offers 'Retrofit Kits'. This list is as of Feb. 2009.

Advantages

- Tailormade Kits deliver just the right amount of grease to the lube-point
- The most Tailormade Kids where created according to the special requirements of the practicular OEM
- Tailormade Kits are easy and fast to install on the machine they where devloped for



VOLVO

	Veł	nicle Type	2*			Monitoring*			
	Bo	om	Carı	riage					
Name	Mono	2 PC.	Tracks	Wheels	Main BOM	Electro Parts (Pump)	Bucket Link	LL	CS
EC 140 B	Х		Х		136-794.03	116-150.51+924	186-595.02	X	Х
EC 140 B		X	Х		136-902.01	116-150.51+924	186-595.02	X	Х
EC 160 B	Х		Х		136-962.01	116-150.51+924	186-595.02	X	Х
EC 160 B		Х	Х		136-903.01	116-150.51+924	186-595.02	X	Х
EC 180 B	Х		Х		136-813.02	116-150.51+924	186-595.02	X	Х
EC 180 B		Х	Х		136-904.01	116-150.51+924	186-595.02	Х	Х
EC 210 B	Х		Х		136-789.03	included in Main BOM	186-671.03	X	Х
EC 210 B		Х	Х		136-798.02	116-151.51+924	186-671.03	Х	Х
EC 240 B	Х		Х		136-790.03	included in Main BOM	186-671.03	X	Х
EC 240 B		Х	Х		136-799.02	116-151.51+924	186-671.03	X	Х
EC 290 B	Х		Х		136-793.03	included in Main BOM	186-672.03	X	Х
EC 290 B		Х	Х		136-800.02	116-151.51+924	186-672.03	Х	Х
EC 360 B	X		Х		136-791.03	included in Main BOM	186-673.03	X	Х
EC 460 B	Х		Х		136-792.03	included in Main BOM	186-674.03	Х	Х
EC 160 C	Х		Х		136-962.52+924	included in Main BOM	186-1052.01	X	Х
EC 180 C	Х		Х		136-962.52+924	included in Main BOM	186-1052.01	Х	Х
EC 210 C	X		Х		136-1097.02	included in Main BOM	included in Main BOM	X	Х
EC 210 C		Х	Х		136-1132.02	included in Main BOM	included in Main BOM	X	Х
EC 240 C	X		Х		136-1099.02	included in Main BOM	included in Main BOM	X	Х
EC 240 C		Х	Х		136-1172.01	included in Main BOM	included in Main BOM	X	Х
EC 290 C	X		Х		136-1101.02	included in Main BOM	included in Main BOM	X	Х
EC 290 C		Х	Х		136-1174.01	included in Main BOM	included in Main BOM	X	Х
EC 360 C	Х		Х		136-1103.02	included in Main BOM	included in Main BOM	X	Х
EC 460 C	Х		Х		136-1105.02	included in Main BOM	included in Main BOM	Х	Х
EC 700 C	X		Х		136-1187.01	included in Main BOM	included in Main BOM	X	Х
EW 140 B		Х		Х	136-890.01	116-108.51+924	186-742.01		Х
EW 160 B	X			X	136-830.01	116-108.51+924	186-713.01		Х
EW 160 B		Х		Х	136-831.01	116-108.51+924	186-713.01		Х
EW 180 B	X			Х	136-814.01	116-108.51+924	186-701.01		Х
EW 180 B		Х		Х	136-815.02	116-108.51+924	186-701.01		Х
EW 140 C	X			Х	136-1193.01	included in Main BOM	included in Main BOM	X	Х
EW 140 C		Х		Х	136-1201.01	included in Main BOM	included in Main BOM	Х	Х
EW 160 C	X			Х	136-1195.01	included in Main BOM	included in Main BOM	Х	Х
EW 160 C		Х		Х	136-1203.01	included in Main BOM	included in Main BOM	X	Х
EW 180 C		Х		Х	136-1197.01	included in Main BOM	included in Main BOM	Х	Х
EW 210 C	Х			Х	136-1195.01	included in Main BOM	included in Main BOM	X	Х

*2 PC. 2 Piece Boom

BOM Bill of Material

LL Low Level Control (Pump)

CS Cycle Switch (System Function Control)

JCB

	Veh	nicle Typ	e*			Monitoring			
	Bo	om	Carı	riage					
Name	Mono	2 PC.	Tracks	Wheels	Main BOM	Electro Parts (Pump)	Bucket Link	LL	CS
JS 145 LC		X	Х		136-6019.01	included in Main BOM	included in Main BOM	X	Х
JS 210	Х		Х		136-6100.01	included in Main BOM	included in Main BOM	Х	Х
JS 220	Х		Х		136-6047.01	included in Main BOM	included in Main BOM	X	Х
JS 240	Х		Х		136-6075.01	included in Main BOM	included in Main BOM	Х	Х
JS 330	Х		Х		136-6085.02	included in Main BOM	included in Main BOM	X	Х
JZ 140	Х		Х		136-6023.01	included in Main BOM	included in Main BOM	Х	Х
JS 130 W	Х			Х	136-6532.01	included in Main BOM	included in Main BOM	X	Х
JS 130 W		Х		Х	136-6533.01	included in Main BOM	included in Main BOM	Х	Х
JS 145 W	Х			Х	136-6532.01	included in Main BOM	included in Main BOM	X	X
JS 145 W		X		Х	136-6533.01	included in Main BOM	included in Main BOM	X	Х
JS 160 W	Х			Х	136-6534.01	included in Main BOM	included in Main BOM	X	Х
JS 160 W		Х		Х	136-6535.01	included in Main BOM	included in Main BOM	Х	Х
JS 175 W	Х			Х	136-6534.01	included in Main BOM	included in Main BOM	X	Х
JS 175 W		Х		Х	136-6535.01	included in Main BOM	included in Main BOM	X	Х
JS 200 W	Х			Х	136-6536.01	included in Main BOM	included in Main BOM	X	Х
JS 200 W		Х		Х	136-6537.01	included in Main BOM	included in Main BOM	X	Х

*2 PC. 2 Piece Boom

BOM Bill of Material

LL Low Level Control (Pump)

CS Cycle Switch (System Function Control)

NOTE: JS...W Kits are Upgrade Kits for factory installed Manual Lubrication Systems

	Veł	nicle Type	e*		Order Number*				oring*
	Bo	om	Carı	riage					
Name	Mono	2 PC.	Tracks	Wheels	Main BOM	Electro Parts (Pump)	Bucket Link	LL	CS
PC 210-8	Х		Х		136-1189.01	included in Main BOM	included in Main BOM	X	Х
PC 240-8	Х		Х		136-1190.01	included in Main BOM	included in Main BOM	Х	X
PC 290-8	Х		Х		136-1191.01	included in Main BOM	included in Main BOM	X	X
PC 380-8	Х		Х		136-1192.01	included in Main BOM	included in Main BOM	Х	Х
PW 140-7	Х			X	136-1157.01	included in Main BOM	included in Main BOM	X	X
PW 140-7		X		Х	136-1158.01	included in Main BOM	included in Main BOM	Х	Х
PW 160-7	Х			X	136-1159.01	included in Main BOM	included in Main BOM	X	X
PW 160-7		X		Х	136-1160.01	included in Main BOM	included in Main BOM	Х	Х
PW 180-7	Х			X	136-1161.01	included in Main BOM	included in Main BOM	X	X
PW 180-7		X		Х	136-1162.01	included in Main BOM	included in Main BOM	Х	Х
PW 200-7	Х			X	136-1163.01	included in Main BOM	included in Main BOM	X	X
PW 200-7		X		Х	136-1164.01	included in Main BOM	included in Main BOM	X	X
PW 220-7	Х			X	136-1163.01	included in Main BOM	included in Main BOM	X	X
PW 220-7		Х		X	136-1164.01	included in Main BOM	included in Main BOM	Х	X

KOMATSU

*2 PC. 2 Piece Boom

BOM Bill of Material

LL Low Level Control (Pump)

CS Cycle Switch (System Function Control)

NOTE: PW...7 Kits are Upgrade Kits for factory installed Manual Lubrication Systems

CATERPILLAR

	Veł	nicle Type	e*		Order Number*				oring*
	Bo	om	Carr	riage					
Name	Mono	2 PC.	Tracks	Wheels	Main BOM	Electro Parts (Pump)	Bucket Link	LL	CS
CAT 320	Х		Х		136-504.01	116-080.51+924	186-369.01	X	Х
CAT 322	Х		Х		136-541.01	116-080.51+924	186-369.01	Х	Х
CAT 325			Х		136-505.01	116-080.51+924	186-369.01	X	Х
CAT 330			Х		136-631.01	116-089.51+924	186-369.01	Х	Х
CAT 365			Х		136-634.01	116-089.51+924	included in Main BOM	X	Х
CAT M312				Х	136-635.01	116-080.51+924	186-373.02	Х	Х
CAT M315				Х	136-636.01	116-080.51+924	186-493.01	X	Х
CAT M318				Х	136-637.01	116-080.51+924	186-494.01	Х	Х
CAT M320				Х	136-638.01	116-080.51+924	186-495.01	X	Х

*2 PC. 2 Piece Boom

BOM Bill of Material

LL Low Level Control (Pump)

CS Cycle Switch (System Function Control

	Vehi	cle Type	*		Order Number*				oring*
	Boo	om	Car	riage					
Name	Mono	2 PC.	Tracks	Wheels	Main BOM	Electro Parts (Pump)	Bucket Link	LL	CS
Zaxis 210 LC	Х		Х		136-873.01	116-116.51+924	included in Main BOM		X
Zaxis 225 US	Х		Х		136-874.01	116-116.51-24V	included in Main BOM		X
Zaxis 250	Х		Х		136-875.01	116-116.51+924	included in Main BOM		X
Zaxis 280 LC	Х		Х		136-876.01	116-116.51+924	included in Main BOM		Х
Zaxis 350	Х		Х		136-877.01	116-126.51+924	included in Main BOM		X
Zaxis 460 LC	Х		Х		136-878.01	116-126.51+924	included in Main BOM		Х
Zaxis 500 LC	Х		Х		136-879.01	116-126.51+924	included in Main BOM		X
Zaxis 160 W	Х			Х	136-869.01	116-116.51+924	included in Main BOM		Х
Zaxis 160 W		Х		X	136-870.01	116-116.51+924	included in Main BOM		X
Zaxis 210 W	Х			Х	136-871.01	116-116.51+924	included in Main BOM		Х
Zaxis 210 W		Х		Х	136-872.01	116-116.51+924	included in Main BOM		X

HITACHI

*2 PC. 2 Piece Boom

BOM Bill of Material

LL Low Level Control (Pump)

CS Cycle Switch (System Function Control

DOOSAN/DAEWOO

	Vehicl	e Type*			Order Number*				oring*
	Boom		Carriage						
Name	Mono	2 PC.	Tracks	Wheels	Main BOM	Electro Parts (Pump)	Bucket Link	LL	CS
DX 300 CL	Х		Х		136-6524.01	116-210.51+924	186-5137.01	X	
DX 340 L	Х		Х		136-5056.01	116-122.51+924	186-5112.01	Х	
Solar 140 LC V	Х		Х		136-847.01	116-123.51+924	186-639.01	X	Х
Solar 155 LC V	Х		Х		136-848.01	116-123.51+924	186-639.01	Х	Х
Solar 175 LC V	Х		Х		136-849.01	116-123.51+924	186-641.01	X	Х
Solar 225 LC V	Х		Х		136-822.02	116-123.51+924	186-776.01	Х	Х
Solar 255 LC V	Х		Х		136-850.01	116-123.51+924	186-776.01	X	Х
Solar 340 LC V	Х		Х		136-5056.01	116-122.51+924	186-5112.01	Х	
Solar 470 LC3	Х		Х		136-775.01	116-073.52+924	186-651.01		Х
Solar 500 LC5	Х		Х		136-795.03	116-123.51+924	186-675.02	Х	Х
Solar 140 WV	Х			Х	136-854.01	116-123.51+924	186-639.01	X	Х
Solar 140 WV		Х		Х	136-820.01	116-119.51+924	186-675.01		Х
Solar 160 WV	Х			Х	136-855.01	116-123.51+924	186-639.01	X	Х
Solar 160 WV		Х		Х	136-856.01	116-123.51+924	186-639.01	Х	Х
Solar 180 WV	Х			Х	136-857.01	116-123.51+924	186-641.01	X	Х
Solar 210 WV	Х			Х	136-859.01	116-123.51+924	186-733.01	Х	X
Solar 210 WV		Х		Х	136-860.01	116-123.51+924	186-733.01	Х	Х

*2 PC. 2 Piece Boom

BOM Bill of Material

LL Low Level Control (Pump)

CS Cycle Switch (System Function Control

® SKF are registered trademarks of the SKF Group.

© SKF Group 2008

2. Industriestrasse 4 · 68766 Hockenheim · Germany Tel. +49 (0)62 05 27-0 · Fax +49 (0)62 05 27-101 www.skf.com/lubrication

Competence Center for Vehicle Lubrication

SKF Lubrication Systems AG

This brochure was presented to you by:

surized gases in solution and fluids with a vapor pressure exceeding normal atmospheric pressure (1013 mbar) by more than 0.5 bar at their maximum permissible temperature. Brochure note

1-9430-EN	Progressive systems for commercial vehicles
1-3035-EN	Reservoir pump units of the KFG series for use in vehicles
1-3015-EN	Progressive sectional feeder VPK
1-3016-EN	Progressive sectional feeder VP
1-3017-EN	Progressive block feeder VPB
1-0103-1-EN	Connecttion systems

Subject to change without notice. 05/2009

The contents of this publication are the copyright of the publisher and may not be reproduced (even extracts) unless permission is granted. Every care has been taken to ensure the accuracy of the information contained in this publication. But no liability can be accepted for any loss or damage whether direct, indirect or consequential arising out of use of the information contained herein

All SKF products may only be used as intended. Should operating instructions be supplied together with the products, the device-specific instructions and specifications therein contained are also to be followed.In particular, we call your attention to the fact that hazardous materials of any kind, especially the materials classified as hazardous by EC Directive 67/548/EEC, Article 2, Par. 2, may only be filled into SKF centralized lubrication systems and components and delivered and/or distributed with the same after consultation with and written approval from SKF Lubrication Systems AG. No products manufactured by SKF are approved for use in conjunction with gases, liquefied gases, pres-

Order number: 1-0358-EN

